

SEMI F47-0706 Compliance Certificate EPRI PQ StarSM Test Program

Certification Date: July 31, 2012

PQ Star Reference Number:
SEMI F47.174

Manufacturer:
Rockwell Automation Inc.

Product:
Frame 3
PowerFlex[®] 755 Series Drives

Test Date: 6/22/2012

Test Location:
Rockwell Automation
6400 West Enterprise Drive
Mequon, WI 53092

Test Configuration: The drives were tested using Rockwell’s drive test stand and a voltage sag generator compliant with SEMI F47. All drive settings were set to default except for the motor parameters. The drive was auto-tuned. All parameters related for F47 testing are shown in table A-2, page 3 of this certification report.

Electrical Environment:
600 Vac, 3 Phase, 60 Hz with and without 0.5 mH reactor (See attachments A, B, C, & D for detailed results)

Model Number and Load Configuration Tested

Catalog Number	Frame	Firmware Version	Electrical Specifications	Maximum Amps (A)	Variable Torque (HP)
20G11NE022JA0NNNNN	3	7.001.12	600V, 50/60 Hz	22	20

This letter and subsequent documentation certify that the specified Frame 3 PowerFlex[®] 755 600V series drive in the noted configuration has been voltage sag tested per SEMI F47-0706 with and without line reactors. The drive was tested as noted in the voltage sag immunity standard and IEC-61000-4-34, Figure C.3. This type of voltage sag is also referred to as a Type II voltage sag event as defined by CIGRE C4.110.

In the case of a phase A-C, 12 cycles, 50% of nominal voltage sag test executed in the “DECEL” mode, the output of the drive shut off. However, the motor stopped and restarted without operator and/or host controller intervention. The SEMI-F47 standard states in section 7.8.2 *Pass/Fail Criteria for Equipment* that subsystems and components may pass by recovery without operator interface (b) and (c). See section C for more details.

Based on these results, other PowerFlex[®] 755 series 600V rated Frame 3 drives from 1 Hp to 20 Hp should be compliant with SEMI F47. Table A-1 of this certification document details the associated list of product catalog numbers. Certification remains valid for the model tested provided no component substitutions are made. Compliance is subject to reevaluation three years from the date of certification.

Certified by,
Scott D. Bunton, Technologist
PQ Star Compliance Program



**PowerFlex[®] 755
Drives**