



THE CIRCUIT IS TYPICAL OF A SIZE 1 BUL 2113 FVNR STARTER WITH 120 VOLT SEPARATE CONTROL
 OPTIONS:
 - 1 N.O. AUXILIARY CONTACT ON THE STARTER
 - 1 N.O. AUXILIARY CONTACT ON THE CIRCUIT BREAKER

A COMPLETE AND ACCURATE REPRESENTATION OF THE CIRCUIT DEPENDS ON THE SIZE AND OPTIONS ORDERED.

NOTES

- ①
REMOTE DEVICE
- ②
ADDITIONAL CONTROL CIRCUIT OVERCURRENT PROTECTION MAY BE REQUIRED WHEN THE CONTROL CIRCUIT CONDUCTORS EXTEND BEYOND THE ENCLOSURE. REFER TO NATIONAL ELECTRICAL CODE.
- ☒
THIS IS AN EXTERNAL CIRCUIT BREAKER AUXILIARY AND SHOULD NOT BE USED FOR BREAKER TRIP INDICATION.

References		Bul 2113 FVNR	
Revision	Dimensions Apply Before Surface Treatment		
Release	Dimensions in Inches Tolerances Unless Otherwise Specified		
1 06/15/01	2 Place Decimal ± .02	Dr.	Date
	3 Place Decimal ± .005	Chkd.	Date
	Angles ± 1	Appd.	Date
Refer. Book			

Rockwell Automation

Sheet 1 Of 1
 Dwg Size C
2113WB005