



X	1	2	3	4				T	T	T	TB
2	1	A	2	3	4			1	2	3	

THE CIRCUIT IS TYPICAL OF A SIZE 1 BUL 2113 FVNR STARTER WITH TRANSFORMER CONTROL OPTIONS:

- A 480/120V CONTROL TRANSFORMER WITH PRIMARY FUSES
- 1 'HAND-OFF-AUTO' SELECTOR SWITCH
- 1 'ON' PILOT LIGHT (RED)
- 1 'OFF' PILOT LIGHT (GREEN)
- 1 E3 PLUS SOLID STATE OVERLOAD RELAY
- 1 N.O. AUXILIARY CONTACT ON THE STARTER
- 1 N.C. AUXILIARY CONTACT ON THE STARTER

A COMPLETE AND ACCURATE REPRESENTATION OF THE CIRCUIT DEPENDS ON THE SIZE AND OPTIONS ORDERED.

NOTES

[1] REMOTE DEVICE

[2] DO NOT USE AUTOMATIC RESET MODE IN APPLICATIONS WHERE UNEXPECTED AUTOMATIC RESTART OF THE MOTOR CAN CAUSE INJURY TO PERSONS OR DAMAGE TO EQUIPMENT.

References		Bul 2113 FVNR		
Revision	Release	Dimensions Apply Before Surface Treatment	Dimensions in Inches Tolerances Unless Otherwise Specified	
1	06/15/01	2 Place Decimal ± .02	3 Place Decimal ± .005	
Refer. Book		Angles ± 1		Sheet 1 Of 1 Dwg Size C 2113WB023

Allen-Bradley HMI's