



THE CIRCUIT IS TYPICAL OF A 35 AMP BUL 2154G SMC UNIT WITH TRANSFORMER CONTROL OPTIONS:

- A 480/120V CONTROL TRANSFORMER WITH PRIMARY FUSES
- PROTECTIVE LINE SIDE MODULES
- 1 'ON' PUSH-TO-TEST PILOT LIGHT (RED)
- 1 'OFF' PUSH-TO-TEST PILOT LIGHT (GREEN)
- 3 FORM 101 FUSES FOR SCR ISOLATION
- 1 HUMAN INTERFACE MODULE (HIM) WITH OPTIONS LISTED ABOVE
- 1 BUL 100 ISOLATION CONTACTOR
- 2 N.O. AUXILIARY CONTACTS ON THE ISOLATION CONTACTOR
- 1 N.C. AUXILIARY CONTACT ON THE ISOLATION CONTACTOR

A COMPLETE AND ACCURATE REPRESENTATION OF THE CIRCUIT DEPENDS ON THE SIZE AND OPTIONS ORDERED.

NOTES

- 1** REMOTE DEVICE
- 2** BULLETIN 150 SOLID STATE MOTOR CONTROLLER. REFER TO SMC USER MANUAL FOR APPLICATION DATA.
- 3** FOR SET-UP OF PUMP CONTROL FEATURE, REFER TO PUBLICATION 150-5.2.

References		BUL. 2154G 35 AMP	
Revision	Release	Dimensions Apply Before Surface Treatment	Dimensions in Inches Tolerances Unless Otherwise Specified
1	08/20/01	2 Place Decimal ± .02	3 Place Decimal ± .005
		Angles ± 1	
Refer. Book		Dr.	Date
		Chkd.	Date
		Appd.	Date

Allen-Bradley
Rockwell Automation

Sheet 1 Of 1

Dwg Size C 2154GWB010

P.C.P. AutoCAD