

A

B

C


D

E

F


G

H



NOTE: FACTORY SETTINGS MAY NOT BE SUITABLE FOR YOUR APPLICATION. REFER TO SMC INSTALLATION MANUAL.

SMC DIALOG PLUS™ CONTROL TERMINALS



THE CIRCUIT IS TYPICAL OF A 35 AMP BUL 2155G SMC UNIT WITH TRANSFORMER CONTROL OPTIONS:

- A 480/120V CONTROL TRANSFORMER WITH PRIMARY FUSES
- PROTECTIVE LINE AND LOAD SIDE MODULES
- 1 'START' PUSH BUTTON
- 1 'STOP' PUSH BUTTON
- 1 'PUMP STOP' PUSH BUTTON
- 1 'ON' PILOT LIGHT (RED)
- 1 'OFF' PILOT LIGHT (GREEN)

NOTES

- [1] REMOTE DEVICE
- [2] BULLETIN 150 SOLID STATE MOTOR CONTROLLER. REFER TO SMC USER MANUAL FOR APPLICATION DATA.
- [3] FOR SET-UP OF PUMP CONTROL FEATURE, REFER TO PUBLICATION 150-5.2.

A COMPLETE AND ACCURATE REPRESENTATION OF THE CIRCUIT DEPENDS ON THE SIZE AND OPTIONS ORDERED.

References		BUL. 2155G 35 AMP	
Revision	Release	Dimensions Apply Before Surface Treatment	Dimensions in Inches Tolerances Unless Otherwise Specified
1	08/20/01	2 Place Decimal ± .02	3 Place Decimal ± .005
Refer. Book		Angles ± 1	

Dr.	Date
Chkd.	Date
Appd.	Date

Allen-Bradley
Rockwell Automation

Sheet 1 Of 1

Dwg Size C 2155GWB007